



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

| APPLICATION NO. | FILING DATE | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. | CONFIRMATION NO. |
|---|-------------|----------------------|----------------------|------------------|
| 10/775,561 | 02/10/2004 | David Harwood | 10557/291180 | 1433 |
| 30559 | 7590 | 12/01/2005 | EXAMINER | |
| CHIEF PATENT COUNSEL SMITH & NEPHEW, INC. 1450 BROOKS ROAD MEMPHIS, TN 38116 | | | AMARELD JR, ROBERT W | |
| | | | ART UNIT | PAPER NUMBER |
| | | | 3738 | |

DATE MAILED: 12/01/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

| | | | |
|------------------------------|---|---------------------------------------|--|
| Office Action Summary | Application No. 10/775,561 | Applicant(s) HARWOOD ET AL. | |
| | Examiner Robert W. Amareld, Jr. | Art Unit 3738 | |

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 10 February 2004.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-35 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) 10-35 is/are allowed.
- 6) ☒ Claim(s) 1-9 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☒ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date <u>9/20/04</u> . | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Specification

The specification is objected to as failing to provide proper antecedent basis for the claimed subject matter. See 37 CFR 1.75(d)(1) and MPEP § 608.01(o). Correction of the following is required: Claims 6, 17 & 32 recite a "transparent portion of a surface"- a transparent portion is not disclosed within the specification.

Claim Objections

Claim 1 is objected to because of the following informalities: "trochanter" is misspelled as "trochanger". Appropriate correction is required.

Claim Rejections - 35 USC § 112

The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

Claims 6, 17 & 32 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention. The statement "transparent portion of a surface" is unclear as to what portion of the device is transparent

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

Art Unit: 3738

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 1-9 are rejected under 35 U.S.C. 102(b) as being anticipated by Graser (US Pat# 5843085). Graser discloses a guide that could be used as an incision locator having two wings with transverse slots (20,30) that could be used as incision guides, or marking openings, and could be oriented along the femoral axis and configured to indicate the proper incision location of a hip replacement surgery. The transverse slots (20, 30) allow for visualization through one side of the guide to the other and are therefore transparent. The guide of Graser may be employed in various slot sizes, lengths (including 10cm) and diameters to be used for both smaller and larger bones of the human body, additionally, the angle (90) between the "wings" may be any angle between 1-180° (including 30°), (column 12, lines 26-36). The integral geometric shape of the guide in figure 1A is a triangle and allows for incisions to be made through any of the slots in the many embodiments.

Allowable Subject Matter

Claims 10-35 are allowed.

Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Comparetto (US Pat# 4952214)- osteotomy guide; Sharratt (US Pat# 6315718)- method of hip retraction; Kyle (US Pat# 4760844)- cannulated screw dye injector.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Robert W. Amareld, Jr. whose telephone number is 571-272-6170. The examiner can normally be reached on M-F 9am -5pm EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Corrine M. McDermott can be reached on 571-272-4754. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

RWA

Robert W Amareld, Jr.
Examiner
Art Unit 3738



CORRINE McDERMOTT
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 3700